

External Storage Solutions

STYLISH. VERSATILE. POWERFUL.

Robust enclosures for SSDs and HDDs, offering both SINGLE and RAID technologies, are perfect for companies and individuals who need to manage huge amounts of data. The enclosures are available in a wide range of configurations, with excellent cooling properties, thanks to either a built-in fan or the enclosure design. Special accents such as RGB light effects are also part of the range. Solutions are also available for the home office or for working on the move.

#CREATEYOURWORKSPACE



NEW IN FUNCTION AND DESIGN

With the IB-382H-C31 we are bringing an innovation to the market! This stylish external hard drive enclosure can not only accommodate a 2.5" as well as a 3.5" HDD or SSD, but it even has an integrated 3-fold hub! And since this also benefits from the USB 3.2 (Gen 2) protocol, all ports can transfer data at up to 10 Gbit/s. Another plus point is the possibility to connect your host computer via USB Type-C® as well as via USB Type-A. A blue LED ring on the front informs you about the status of the activities at any time.



INNOVATION

USB 3.2
up to
10 Gbit/s



USB Type-C® enclosure for 2.5" & 3.5" HDD/SSD
with hub function
IB-382H-C31

- » Integrated hub with 1x USB Type-C®, 2x USB Type-A
- » All ports with USB 3.2 Gen 2 with up to 10 Gbit/s
- » SATA III up to 6 Gbit/s
- » Plug & Play and HotSwap
- » High-grade aluminium enclosure



1x
USB Type-C®



2x
USB Type-A

2,5"
3,5"

For 2,5" &
3,5" HDD/
SSD

LED

USB Type-C®
host
interface



USB Type-C® enclosure for 3.5" SATA HDD/SSD
IB-377-C31

- » For 3.5" SATA III (6 Gbit/s) HDD/SSD
- » Host interface via USB 3.2 Gen 2 Type-C® with up to 10 Gbit/s, UASP support
- » Unlimited storage capacity
- » Including Type-C® to Type-C® cable
- » Plug & Play and HotSwap
- » Supports Windows®, Linux®, macOS®

3,5"

For 3,5"
HDD/SSD

13
Al

Aluminium

HOT
SWAP

PLUG
&
PLAY




EASYWORK




**M.2 enclosure for NVMe & SATA SSDs
IB-1817MCT-C31**

- » Toolless design for easy SSD installation
- » USB 3.2 Gen 2 Type-C® with up to 10 Gbit/s
- » M-Key socket for 22x 30/42/60/80 mm
- » High-grade aluminium enclosure for optimal heat dissipation
- » Including aluminium heat sink and thermal pads



**M.2 enclosure for NVMe & SATA SSDs
with USB Type-C® interface
IB-1817MC-C31**

- » Host interface via USB 3.2 Gen 2 Type-C® & Type-A, up to 10 Gbit/s
- » Supports PCIe 3.0 x2 and SATA III
- » M-Key socket for 22x 30/42/60/80 mm
- » Activation of write protection via switch
- » LED for power and access
- » High-grade aluminium in innovative cooling fin design
- » With additional patented heatsink and thermal pad inside
- » Supports Windows®, macOS®






FIRST-CLASS INNOVATIVE DESIGN



With fan & write protection

M.2 enclosure for NVMe SSDs with USB Type-C® interface
IB-1922MF-C32


- » PCIe 3.0 x4 data transfer rates of up to 20 Gbit/s
- » M-Key socket for NVMe SSDs, 22x 30/42/60/80 mm
- » Host interface via USB 3.2 Gen 2x2 Type-C®
- » Downward compatible with USB 3.1/3.0/2.0
- » Activation of write protection via switch
- » 30 mm fan for active cooling
- » High-grade aluminium enclosure with innovative cooling fin design
- » Supports Windows®, macOS®



Transferrate up to 10 Gbit/s

M.2 enclosure for NVMe SSDs with USB Type-C® interface
IB-1816M-C31


- » Host interface via USB 3.2 Gen 2 Type-C® with up to 10 Gbit/s
- » Supports PCIe 3.0 x2 transfer rates of up to 1000 megabyte per second
- » M-Key socket for NVMe SSDs, 22x 30/42/60/80 mm
- » LED for power and access
- » High-grade aluminium enclosure with innovative cooling fin design
- » Supports Windows®, macOS®



Transferrate up to 20 Gbit/s

M.2 enclosure for NVMe SSDs with USB Type-C® interface
IB-1916M-C32

- » Host interface via USB 3.2 Gen 2x2 Type-C®
- » PCIe 3.0 x4 data transfer rates of up to 20 Gbit/s
- » M-Key socket for M.2 NVMe SSDs, 22x 80 mm
- » Backwards compatible to USB 3.1/3.0/2.0
- » Including an additional copper heat sink and silicone thermal pad inside
- » High-grade aluminium enclosure with innovative cooling fin design
- » Supports Windows®, macOS®





Trayless
HDD
installation

USB Type-C® enclosure for 3.5" SATA HDD/SSD
IB-3801-C31

- » EasySwap – Trayless and toolless HDD installation
- » For 3.5" SATA I, II, III (6 Gbit/s) HDD/SSD
- » Host interface via USB 3.2 Gen 2 with up to 10 Gbit/s
- » Unlimited storage capacity
- » Lockable front door
- » LED indicates system status
- » Plug & Play and HotSwap
- » High-grade aluminium enclosure
- » Can be set up vertically (with stand) and horizontally




USB Type-C® Aluminium Key Lock



RAID
Funktion

USB Type-C® RAID enclosure for two 3.5" SATA HDD/SSD
IB-RD3802-C31

- » For 2x 3.5" SATA I, II, III (6 Gbit/s) drive, unlimited drive capacity
- » Supports RAID 0/1/LARGE/SINGLE, automatic recovery
- » LEDs indicate system status and drive errors
- » Host interface via USB 3.2 Gen 2 with up to 10 Gbit/s
- » EasySwap – toolless HDD exchange
- » 60 mm fan for optimal cooling and performance
- » Individually lockable front doors
- » Plug & Play and HotSwap




USB Type-C® RAID 0/1/SINGLE/LARGE Key Lock 60 mm active cooling HOT SWAP PLUG & PLAY



USB 3.2
up to
10 Gbit/s

5 bay SINGLE enclosure for 5x 3.5" SATA HDD/SSD
IB-3805-C31

- » For 5x 3.5" SATA I/II/III (6 Gbit/s) drive
- » Host interface via USB 3.2 Gen 2 Type-C® with up to 10 Gbit/s, UASP support
- » Additional USB 3.2 Gen 2 Type-C® hub interface
- » Supports SINGLE mode – each drive can be accessed separately
- » Hard disks can be switched on/off individually without disconnection
- » EasySwap – easy assembling due to trayless design
- » LED for power, HDD in use and access
- » Energy-saving due to automatic stand-by mode
- » 120 mm fan for optimal cooling and quiet operation
- » Plug & Play and HotSwap




USB Type-C® Aluminium Key Lock 120 mm active cooling HOT SWAP PLUG & PLAY



Host
interface
up to
10 Gbit/s

10 bay SINGLE enclosure for 10x 3.5" SATA HDD/SSD
IB-3810-C31

- » For 10x 3.5" SATA I/II/III (6 Gbit/s) drive
- » Host interface via USB 3.2 Gen 2 with up to 10 Gbit/s
- » Supports SINGLE mode – each drive can be accessed separately
- » Hard disks can be switched on/off individually without disconnection
- » EasySwap – easy assembling due to trayless design
- » LED for power, HDD in use and access
- » Energy-saving due to automatic stand-by mode
- » 140 mm fan for optimal cooling and quiet operation
- » Plug & Play and HotSwap




USB Type-C® Aluminium Key Lock 140 mm active cooling HOT SWAP PLUG & PLAY



USB 3.2
up to
10 Gbit/s

4 bay SINGLE enclosure for 4x 3.5" SATA HDD/SSD
IB-3804-C31

- » For 4x 3.5" SATA I/II/III (6 Gbit/s) drive
- » Host interface via USB 3.2 Gen 2 Type-C® with up to 10 Gbit/s, UASP support
- » Supports SINGLE mode – each drive can be accessed separately
- » Hard disks can be switched on/off individually without disconnection
- » EasySwap – easy assembling due to trayless design
- » High-grade aluminium enclosure and 90 mm fan for optimal cooling and quiet operation
- » Plug & Play and HotSwap




USB Type-C® Aluminium Key Lock 90 mm active cooling HOT SWAP PLUG & PLAY



Host
interface
up to
5 Gbit/s

10 bay SINGLE enclosure for 10x 3.5" SATA HDD/SSD
IB-3810U3

- » For 10x 3.5" SATA I/II/III HDD/SSD drive
- » Unlimited storage capacity
- » Host interface via USB 3.2 Gen 1 with up to 5 Gbit/s, UASP support
- » Supports SINGLE mode – each drive can be accessed separately
- » Hard disks can be switched on/off individually without disconnection
- » EasySwap – easy assembling due to trayless design
- » LED for power, HDD in use and access
- » Energy-saving due to automatic stand-by mode
- » Windows® 7/8.x or higher, macOS® X 10.5 or higher
- » Plug & Play and Hot Swap




USB Type-C® Aluminium Key Lock HOT SWAP PLUG & PLAY

EXTERNAL STORAGE SOLUTIONS




USB 3.2 Gen 2 Type-C® enclosure for one 2,5" SSD
IB-246-C31-G

- » External USB 3.2 Gen 2 Type-C® enclosure for 2.5" SSD
- » Data transfer rate up to 10 Gbit/s
- » Silicone sleeve protects the device from shocks
- » USB 3.2 Gen 2 Type-C® to Type-C® cable
- » High-quality aluminium enclosure for SSDs with a height of up to 9.5 mm
- » Toolless installation
- » For Windows®, macOS®



USB 3.2 Gen 2 Type-C® enclosure for one 2,5" SSD
IB-247-C31

- » Host connection via USB 3.2 Gen 2 Type-C® with up to 10 Gbit/s
- » Supports SATA III transfer rates of up to 6 Gbit/s
- » 60 cm long USB Type-C® to Type-C® cable
- » High-quality aluminium enclosure for SSDs with a height of up to 9.5 mm
- » Unlimited SSD capacity



POCKET-SIZED STORAGE SOLUTIONS



External enclosure for 2,5" SATA HDD/SSD
IB-273StU3

- » Host connection via USB 3.2 Gen 1 Type-A with up to 5 Gbit/s
- » Supports SATA I/II/III transfer rates of up to 6 Gbit/s
- » Blue LED ring indicates operation and access
- » Hard drive height up to 9.5 mm, unlimited hard drive capacity
- » Plug & Play and HotSwap
- » USB data cable and transport bag included



External enclosure for 2,5" SATA HDD/SSD
IB-256WP

- » Host connection via USB 3.2 Gen 1 Type-A with up to 5 Gbit/s
- » Supports SATA III (6 Gbit/s) and USB UASP
- » With write protection switch to prevent data loss
- » LED indicates operation and access
- » Hard drive height up to 15 mm, unlimited hard drive capacity
- » USB data cable and silicone protective sleeve included





RaidSonic Technology GmbH

Address

Kurt-Fischer-Straße 50
D-22926 Ahrensburg
Germany

Phone & Fax

Phone: +49 (0)41 02 - 46 8 9 00
Fax: +49 (0)41 02 - 46 8 9 01

Online

Email: info@icybox.de
Website: www.icybox.de
 [RaidSonic Technology GmbH](#)
 [icyboxofficial](#)
 [ICY BOX®](#)